

APPLICATION

FOR

UNITED STATES OF AMERICA

\*\*\*\*\*

SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

Be it known that I,

Lorenzo CORTELAZZO, Italian citizen  
of PADOVA – ITALY

have invented certain improvements in:

“DISPOSABLE SUPPORT FOR CONTAINERS FOR TREATING  
BIOLOGICAL SAMPLES IN CYTOCENTRIFUGES”

of which the following description in connection with the accompanying  
drawings is a specification, like reference characters on the drawings  
indicating like parts in the several figures.

## BACKGROUND OF THE INVENTION

The present invention relates to a disposable support for containers for treating biological samples in cytocentrifuges.

5 Containers commonly known as cuvettes are already known which are constituted by a vertical flat resting base from which a wall protrudes at right angles, said wall supporting one or two funnels that are connected, in a lower region, to corresponding horizontal connection channels.

Such containers are used to treat biological samples by way of the  
10 cytocentrifugation technique.

To do so, the containers are rested, with a filtering card interposed, on a microscope slide and the assembly is reversibly fixed inside a cytocentrifuge.

For this purpose, the cytocentrifuge is provided with supports, each of  
15 which is currently constituted by a contoured steel element that forms a flat supporting body with raised edges in order to accommodate in succession the slide, the filtering card, and the base of the container, which are fixed thereto by means of a spring-loaded device constituted by a metal wire shaped like an inverted letter U, which is articulated with its lower ends to  
20 the flat body and can be rotated so as to be arranged substantially parallel to it and engage suitable tabs that protrude from the edges.

On the opposite side with respect to the engagement means, the body has a transverse pivot for fixing to the cytocentrifuge.

Cuvette supports are therefore an integral part of the centrifugation  
25 machine, and since they are the elements that make direct contact with the containers the supports must be very well cleaned for each individual test to be conducted.

This naturally causes problems in terms of the time required for cleaning and does not provide absolute certainty that the cleaning is perfect.

### SUMMARY OF THE INVENTION

The aim of the present invention is to provide a support for containers for treating biological samples in cytocentrifuges that is of the disposable type and therefore can be used in combination with cuvettes and in the same manner as the cuvettes.

Within this aim, an object of the invention is to provide a support that can be sold by the manufacturer in combination with a slide, a filtering card and a cuvette as a disposable kit to be used in cytocentrifuges.

Another object is to provide a support that is structurally simple and has a low cost.

Another object is to provide a support that can be obtained in a finished condition with a small number of manufacturing operations.

This aim and these and other objects that will become better apparent hereinafter are achieved by a disposable support for containers for treating biological samples in cytocentrifuges, each one of the containers comprising a vertical flat supporting base from which a wall protrudes at right angles, said wall supporting at least one funnel that is connected in a lower region to a corresponding horizontal connection channel, said support being characterized in that it comprises, in a single element made of molded plastic material, a flat supporting body with protruding edges in order to accommodate in succession a slide, a filtering card and said base of said container for the treatment of biological samples, said protruding edges integrating clamp means for retaining the slide, the filtering card and the container, said body integrating a transverse pivot for fixing the support to a cytocentrifuge.

Advantageously, an elastic means for recovering any play is integrated in the body in the region of contact with the slide.

### BRIEF DESCRIPTION OF THE DRAWINGS

Further characteristics and advantages of the invention will become better apparent from the following detailed description of an embodiment thereof,

illustrated by way of non-limitative example in the accompanying drawings, wherein:

Figure 1 is an exploded view of a disposable support according to the invention and of the components that must be associated therewith, i.e., the slide, the filter and the container for treating biological samples;

Figure 2 is a rear perspective view of the support of Figure 1;

Figure 3 is a transverse sectional view of the support of Figure 1;

Figure 4 is a rear view of the support of Figure 1;

Figure 5 is a longitudinal sectional view of the support of Figure 1.

#### DESCRIPTION OF THE PREFERRED EMBODIMENTS.

With reference to the figures, a container for treating biological samples in cytocentrifuges is generally designated by the reference numeral 10 and comprises, in a single element made of molded plastic material, a vertical flat supporting base 11 from which a wall 12 protrudes at right angle, said wall supporting in this case two funnels, designated by the reference numerals 13 and 14 respectively, each funnel being connected in a lower region to a corresponding horizontal connection channel 15 and 16.

A disposable support according to the invention for containers 10 comprises, in a single monolithic molded plastic element, a flat supporting body 17 with protruding longitudinal edges 18 and a lower edge 19 that also protrudes.

The connection between the longitudinal edges 18 and the body 17 is provided by forming respective longitudinal channels 20, while the lower edge 19 has, in respective regions located substantially at the ends, two small perpendicular containment tabs 21.

The body 17 with the edges 18 and 19 is adapted to accommodate in succession a slide 22, a filtering card 23, and the base 11 of the container 10, as shown in particular in Figures 1 and 3.

These elements are retained in a lower region by the tabs 21 and in an upper region by clamp means 24, which are integrated with the longitudinal

edges 18.

The clamp means 24 are constituted by two mutually opposite hook-shaped tabs 25, which are sized so as to retain between their ends and the body 17 the elements cited above in succession.

5 The tabs 25 are extended, in the rear part of said body, with respective levers 26.

In practice, by moving the levers 26 mutually closer with one's fingers, an elastic flexing motion is produced which moves apart the ends of the tabs 25, allowing to insert the slide 22, the filtering card 23 and the base 11.

10 The fixing engagement of the assembly is obtained by releasing the levers 26.

Also according to the invention, the flat body 17 integrates an elastic means 27 for taking up any plays, which is constituted in practice by a longitudinal bridge-like element that is designated by the same reference numeral and protrudes from the part that supports the slide 22 and in practice  
15 constitutes a sort of leaf spring.

On the opposite side of the region where the slide 22 rests, the flat body 17 integrates a transverse pivot 28 for fixing to a cytocentrifuge, which is not shown in the figures.

20 In practice it has been found that the intended aim and objects of the present invention have been achieved.

The support can in fact be obtained with a single molding operation, for example by injection-molding plastic material, and is therefore extremely cheap and therefore usable as a disposable item.

25 This allows to market complete single-use kits constituted by a support, a slide, filter paper and a container of biological samples.

In practice, the materials employed, so long as they are compatible with the contingent use, as well as the dimensions, may be any according to requirements.

30 The disclosures in Italian Utility Model Application No. PD2002U000054

from which this application claims priority are incorporated herein by reference.